Chief Secretary's Office, Adelaide, November 25th, 1890.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

J. C. Bray, Chief Secretary.

Return of Births and Deaths registered in South Australia in the Month of October, 1885-1890.

Years	1885.	1886.	1887.	1888.	1889.	Average					1	890.						Total
Population, Oct. 1	309,571	306,053	310,635	311,296	316,792	of Five Years.	322,003								for 1890.			
Topulation, Oct. 1	000,011	000,000	010,000	911,200	010,102						022	-,000						1000.
Births	1,109	912	832	898	814	913	884								8,848			
Rate per cert	-359	•298	•268	•288	.257		•275											
Deaths—							All Ages.	Under l year.	l and under 5.	6 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest	Uncertified Gauses of Death.	
All causes	279	255	246	274	237	258	303	75	42	28	46	44	51	17	_	25	24	3,306
Rate per cent	.090	.083	.079	.088	.075	-	.094	_		_	_	_	_	_	_	_		
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic	42	29	16	26	13 2	_	49	14	19	7	8		1	_	_			
m. Dietic	3	1	2	-	1	-	-	-	-	-		-		-	-	-	-	
IV. Constitutional	45	35	51	58	47	-	52	3	5	7	16	15	5	1	-		-	
v. Developmental	40	21	24	17	26	_	33	12		_			12	9	_	-	-	
vi. Local	120	129	109	134	118	-	135	38	14	7	14	27	29	6	-	-	-	
viii. Violence viii. Ill-defined and not specified	9	19	22	17	18	-	23	1	2	7	7	2	3	1	-	-	-	
not specified causes	20	19	19	21	12	-	11	7	2		1	_	1			_	_	

^{*} The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), which at last census was 4,521, and also the aborigines, which at last census was 6,346.

Causes of Deaths registered in the Month of October, 1890.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
Ι.			Other constitutional diseases	_	2	Accidents of childbirth	_	3
Measles	-	-	V.			Diseases of locomotive sys-		
Scarlet fever	_	_	Premature birth,	9	-	tem	-	
Relapsing fever	_	1	Cyanosis		-	Diseases of integumentary		
Influenza	10	1	Congenital defects,	3	0.1	system	-	-
Whooping-cough	10	9	Old age	-	21	VII.		
Diphtheria	_	14	VI.	,	-	(Accident.)		
Simple and ill-defined fever	-	1	Apoplexy	1	1	Fracture and contusion		10
Enteric fever		4	Epilepsy		1	Gunshot wound		_
Simple cholera		_	Convulsions	6	1	Cut, stab	-	_
Diarrhœa, dysentery	3	2	Other diseases of brain and		10	Burn and scald	-	1
Remittent fever	_	-	nervous system	-	10	Poison	-	1
Venereal affections	_	1	Diseases of organs of special			Drowning	1 -	6
Erysipelas	-	1	sense	-	1	Suffocation	_	1
Pyæmia and septicæmia	1	1	Diseases of circulatory sys-		00	Otherwise	1	2
Puerperal fever	-	1	tem	-	30	(Homicide.)		
Other zymotic diseases		-	Croup	-	2	Murder and manslaughter	-	-
II.			Bronchitis	14	11	(Suicide.)		
Thrush		-	Pneumonia	10	7	Gunshot wound		-
Worms and other parasitical		1	Pleurisy	-	1	Cut, stab	-	
diseases	-		Other diseases of respiratory			Poison		-
III.			system		4	Drowning		
Privation—want of breast milk	-		Dentition	1		Hanging		1
Alcoholism		-	Quinsy, sore throat	-	-	Otherwise		-
IV.			Enteritis	2		VIII.		
Rheumatic fever and rheuma-			Peritonitis	1		Dropsy	_	1.
tism of heart		1	Diseases of liver	1	2	Debility, atrophy, inanition	7	2
Rheumatism	_	1	Other diseases of digestive			Mortification	-	
Gout	-	-	system	2	10	Tumor		
Cancer, malignant disease	-	14	Diseases of lymphatic sys-			Abscess	_	
Tabes mesenterica	3	_	tems and of ductless glands	_		Hæmorrhage		жиния
Tubercular meningitis		5	Diseases of urinary system		6	Sudden, cause unascertained		
Phthisis		22	Diseases of generative sys-			Other ill-defined and not		
Scrofula tuberculosis	_	4	tem	0.10	1 1	specified causes		1

Return of Births and Deaths registered in City of Adelaide in the Month of October, 1885-90.

Years	1885.	1886.	1887.	1888.	1889.	Average of Five	1890.								To fo			
Population, Jan. 1st	43,969	45,333	42,904	43,527	43,750	Years.	44,581							1890.				
Births	130	144	105	96	69	109	118								98			
Rate per cent	•296	•318	•245	•221	.158	_					•2	65			1	1		
Deaths—							All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest cases.	Uncertified causes of death.	
All causes	48	53	63	49	61	55	71	11	7	5	15	17	13	3		4	1	7
Rate per cent	•109	·117	•147	•113	·139	_	•159			_		_		_	_			
Diseases— I. Specific Febrile or Zymotic . II. Parasitic IV. Constitutional . V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified causes	8 — 10 7 20 2	4 1 	$ \begin{array}{r} 5 \\ \hline 1 \\ 17 \\ 5 \\ 28 \\ 6 \end{array} $	$ \begin{array}{c c} 2 \\ - \\ 17 \\ 4 \\ 23 \\ 2 \end{array} $	3 2 		9 — 15 7 37 37		4 - 1 - 2 -	2 - 3	3 - 5 - 5 2	- 6 11						

Causes of Deaths registered in the Month of October, 1890.

		1)
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
24			Scrofula tuberculosis		1	Accidents of childbirth		
Measies	_	_	Other constitutional diseases	_	1	Diseases of locomotive system	_	_
Relapsing fever	_	_				Diseases of integumentary		
Influenza	_		V.			system	-	-
Whooping-cough	_	1	Premature birth	1	_	771T /A 11 /A		
Diphtheria	_	5	Cyanosis	_		VII. (Accident.) Fracture and contusion		2
Enteric fever	_	1	Congenital defects Old age	_	6	Gunshot wound		4
Simple cholera			Old ago		0	Cut, stab		_
Diarrhœa, dysentery	_	_	VI.			Burn and scald	_	
Remittent fever	-	_	Apoplexy	_	_	Poison	-	-
Venereal affections	-		Epilepsy		_	Drowning	_	-
Erysipelas	_	1 1	Convulsions	-		Suffocation		-
Pyæmia and septicæmia Puerperal fever	_	1	nervous system		7	Otherwise	1	_
Other zymotic diseases	_		Diseases of organs of special			(Homicide.)		
	1		sense	_		Murder and manslaughter	-	-
II.			Diseases of circulatory system		10	(Suicide.)		
Thrush	_	_	Croup	_	_	Gunshot wound	_	-
Worms and other parasitical			Bronchitis	4	3	Cut, stab	_	-
diseases	-	-	Pneumonia	2	3	Poison	-	_
111.			Pleurisy Other diseases of respiratory	_	-	Drowning		
Privation—want of breast milk	_	_	system		2	Hanging Otherwise		-
Alcoholism	-		Dentition	_	_	O LIIO 1150,		
***			Quinsy, sore throat	_	_	VIII.		
IV. Rheumatic fever and rheuma-			Enteritis	1	-	Dropsy	-	-
tism of heart			Peritonitis	-	_	Debility, atrophy, inanition	-	1 -
Rheumatism		_	Diseases of liver Other diseases of digestive	_	1	Mortification	_	
Gout	_		system	_	1	Tumor		_
Cancer, malignant disease	-	7	Diseases of lymphatic sys-		-	Hæmorrhage	_	-
Tabes mesenterica	2	_	tems and of ductless glands	_		Sudden, cause unascertained	_	-
Tubercular meningitis	-		Diseases of urinary system	_	2	Other ill-defined and not		
Phthisis	_	4	Diseases of generative system	-	1	specified causes	-	-

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of October, 1890.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	44,581	8,096	8,718	9,177	9,320	4,018	5,252
Persons to an acre	12.3	14.1	13.2	16.6	13.0	8.4	8.1
Births Male Female	118 62 56	20 13 7	14 9 5	28 9 19	36 23 13	10 5 5	10 3 7
Deaths Male Female	56 32 24	18 10 8	7 5 2	9 6 3	11 6 5	5 3 2	6 2 4
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	9 — 8 7 29 3	1 3 4 9 1	2 - 1 - 4 -	2 — 1 1 5 —			4 — — — 2 —
Percentage of Deaths to population of each Ward	•126	•222	.080	-098	-118	.124	:114

Causes of Deaths registered in the Month of October, 1890.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis	_	1	Accidents of childbirth	_	-
Measles	-	-	Scrofula tuberculosis	_		Diseases of locomotive system	-	_
Scarlet fever	_	_	Other constitutional diseases.		1	Diseases of integumentary		
Relapsing fever	-	_				system		_
Influenza	_	_	V.					1
Whooping-cough	_	1	Premature birth	1				
Diphtheria	_	5	Cyanosis	_		VII.		
Simple and ill-defined fever	_	_	Congenital defects			(Accident.)		
Enteric fever	_	1	Old age	_	6	Fracture and contusion		2
Simple cholera	-	-				Gunshot wound	_	_
Diarrhœa, dysentery	-	_	VI.			Cut, stab	-	
Remittent fever	_	_	Apoplexy	_		Burn and scald	-	
Venereal affections	-	-	Epilepsy	_		Poison	-	_
Erysipelas	-	1	Convulsions	_	_	Drowning	-	-
Pyæmia and septicæmia	-	1	Other diseases of brain and			Suffocation		_
Puerperal fever	-		nervous system	_	5	Otherwise	1	_
Other zymotic diseases	-		Diseases of organs of special			(Homicide.)		
			sense			Murder and manslaughter	-	_
· II.		,	Diseases of circulatory system		10	(Suicide.)		
Thrush	-	_	Croup	-	-	Gunshot wound	-	-
Worms and other parasitical			Bronchitis	4	1	Cut, stab	-	-
diseases	-	_	Pneumonia	2	2	Poison	-	
			Pleurisy	_	_	Drowning	_	-
III.			Other diseases of respiratory			Hanging	-	-
Privation — Want of breast			system	-	2	Otherwise	-	
milk	-	_	Dentition	-				
Alcoholism	-	_	Quinsy, sore throat	-		VIII.		
			Enteritis	1	_	Dropsy	-	-
IV.			Peritonitis	_	_	Debility, atrophy, inanition		-
Rheumatic fever and theu-		-	Diseases of liver	_		Mortification		-
matism of heart	_	_	Other diseases of digestive			Tumor	-	-
Rheumatism	_		system	_	1	Abscess		_
Gout	-		Diseases of lymphatic systems			Hæmorrhage		_
Cancer, malignant disease	_	4	and of ductless glands	_	_	Sudden, cause unascertained.		-
Tabes mesenterica	2	_	Diseases of urinary system	-	_	Other ill-defined and not spe-		
Tubercular meningitis	_		Diseases of generative system		1	cified causes	-	-

G. H. AYLIFFE, Registrar-General of Births and Deaths.

OCTOBER, 1890.

The highest temperature in the shade at the Adelaide Observatory during the month was 83°·8 on the 4th; and the lowest, 41°·8, on the 17th. The mean temperature of the month was 59°·6.

The greatest range of the thermometer in one day, 34°·2, took place on the 27th, viz., from a maximum of 76°·9 to a minimum of 42°·7; the lowest range, 11°·0, on the 29th.

The mean height of the barometer was 29·696 inches; the maximum, 30·163 inches, occurred on the 31st; and the minimum, 29·305 inches, on the 4th. C. Todd, Observer. Observatory, Adelaide, November 11th, 1890.